

## UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION N	0.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/900,370		07/06/2001	Noboru Takada	33781	6021	
116	7590	12/03/2004		EXAMINER		
		OON LLP	GENCO,	GENCO, BRIAN C		
1801 EAST 9TH STREET SUITE 1200 CLEVELAND, OH 44114-3108				ART UNIT	PAPER NUMBER	
				2615		
				DATE MAILED: 12/03/200	DATE MAILED: 12/03/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

 $\mathcal{B}^{\wedge}$ 

	Application No.	Applicant(s)					
Advisory Action	09/900,370	TAKADA ET AL.					
navious nation	Examiner	Art Unit					
	Brian C Genco	2615	•				
The MAILING DATE of this communication appe	ars on the cover sheet with the c	orrespondence add	ress				
THE REPLY FILED 20 October 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a inal rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in ondition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued examination (RCE) in compliance with 37 CFR 1.114.							
PERIOD FOR REPLY [check either a) or b)]							
<ul> <li>a)  The period for reply expires 4 months from the mailing date of the final rejection.</li> <li>b)  The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.         ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).</li> </ul>							
Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 17 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any searned patent term adjustment. See 37 CFR 1.704(b).							
1. A Notice of Appeal was filed on Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.							
2. The proposed amendment(s) will not be entered b	ecause:						
(a) ☑ they raise new issues that would require further consideration and/or search (see NOTE below);							
(b) ☐ they raise the issue of new matter (see Note below);							
(c) they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or							
(d) M they present additional claims without canceling a corresponding number of finally rejected claims.							
NOTE: <u>See Attached</u> .							
3. Applicant's reply has overcome the following rejection.	, ,	_					
<ol> <li>Newly proposed or amended claim(s) would canceling the non-allowable claim(s).</li> </ol>	l be allowable if submitted in a s	separate, timely file	d amendment				
5. ☐ The a) ☐ affidavit, b) ☐ exhibit, or c) ☐ request for application in condition for allowance because:		sidered but does No	OT place the				
6. The affidavit or exhibit will NOT be considered be raised by the Examiner in the final rejection.	cause it is not directed SOLELY	to issues which we	ere newly				
7. For purposes of Appeal, the proposed amendmen explanation of how the new or amended claims w			and an				
The status of the claim(s) is (or will be) as follows:							
Claim(s) allowed: 9-17 and 19-21.							
Claim(s) objected to: 7							
Claim(s) rejected: 1-6, 8, and 18.							
Claim(s) withdrawn from consideration:							
8. The drawing correction filed on is a) approved or b) disapproved by the Examiner.							
9. Note the attached Information Disclosure Stateme	ent(s)( PTO-1449) Paper No(s).	<del></del> -					
10. Other:							

Application/Control Number: 09/900,370

Art Unit: 2615

Applicant's argue that the amendment to the claim in the amendment of March 18, 2004 was merely for clarification and did not necessitate new grounds of rejection.

In response, Examiner notes that the amendment to the claim clearly changed the scope of the claim and did necessitate new grounds of rejection. In particular, the new grounds of rejection were modified to specifically deal with added limitation. As such, this argument is not deemed persuasive.

While the amendments to the claims are not being entered, Applicant has provided several arguments that are material to the previous grounds of rejection and as such will be answered herein bellow.

Applicant argues that there is no "actual" target screen in the Cambier device.

In response, Examiner notes that the limitation of an "actual" target screen was not claimed. Further, Examiner notes that Cambier discloses a virtual target screen which meets the claim limitations as broadly as claimed.

Applicant argues that Cambier does not disclose means for illuminating a target screen.

In response, Examiner notes that the virtual target screen of Cambier is illuminated by illuminator 130.

Applicant argues that the statement that the reference iris information cannot be overwritten since "if the information was overwritten, the information would be lost, and an

Application/Control Number: 09/900,370

Art Unit: 2615

authorized user would not be recognized" is not an accurate representation of the reference device and does not follow from the reference.

In response, Examiner notes that the object of the reference is to identify an unidentified person (column 2, lines 48-49). Applicant has provided an example where new accounts could be created by overwriting a previous authorized user. Examiner notes that this reasoning does not follow the teachings of the reference. In particular, the addition of new users does not mean that a previous authorized user would necessarily be overwritten since a flag could be used to indicate that a template is no longer an authorized user. Furthermore, in examining the prior art method of access to a vehicle, Cambier discloses that with a remote device possession of the remote device will provide access to the vehicle regardless of who has the device (e.g., column 1, lines 52-57). As such, the reference is very concerned with the security of the device, wherein the scenario of an unauthorized user stealing a remote access device, is analogous to the scenario of an unauthorized user overwriting a template so as to gain access. As such, so as to maintain the teachings of the reference to identify an unidentified user and maintain the security of the access point the iris information cannot be overwritten since if the information was overwritten, the information would be lost, and an authorized user would not be recognized and an unauthorized user could be added to gain access.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian C. Genco who can be reached by phone at 703-305-7881 or by fax at 703-746-8325. The examiner can normally be reached on Monday thru Friday 8:30am to 4:30 pm.

Art Unit: 2615

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Christensen can be reached on 703-308-9644. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the customer service office whose telephone number is 703-308-4357.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Brian C Genco Examiner Art Unit 2615

November 29, 2004

ANDREW CHRISTENSEN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600